



Cast Iron Black		Unit	Price EUR
1109004	Profec Nr. 90 Elbow 90° cast iron black 1/2" female thread 25bar DVGW	pcs	0,66
1109005	Profec Nr. 90 Elbow 90° cast iron black 3/4" female thread 25bar DVGW	pcs	1,00
1109006	Profec Nr. 90 Elbow 90° cast iron black 1" female thread 25bar DVGW	pcs	1,46
1109007	Profec Nr. 90 Elbow 90° cast iron black 1 1/4" female thread 25bar DVGW	pcs	2,19
1109008	Profec Nr. 90 Elbow 90° cast iron black 1 1/2" female thread 25bar DVGW	pcs	3,20
1109009	Profec Nr. 90 Elbow 90° cast iron black 2" female thread 25bar DVGW	pcs	4,49
1109011	Profec Nr. 90 Elbow 90° cast iron black 3" female thread 25bar DVGW	pcs	12,68
1109012	Profec Nr. 90 Elbow 90° cast iron black 4" female thread 25bar DVGW	pcs	22,99
1109020	Profec Nr. 90 Elbow 90° cast iron black 3/4" x 1/2" female thread 25bar DVGW	pcs	1,17
1109021	Profec Nr. 90 Elbow 90° cast iron black 1" x 1/2" female thread 25bar DVGW	pcs	1,62
1109022	Profec Nr. 90 Elbow 90° cast iron black 1" x 3/4" female thread 25bar DVGW	pcs	1,62
1109025	Profec Nr. 90 Elbow 90° cast iron black 1 1/4" x 1" female thread 25bar DVGW	pcs	2,64
1109204	Profec Nr. 92 Elbow 90° cast iron black 1/2" female thread x male thread 25bar DVGW	pcs	0,73
1109205	Profec Nr. 92 Elbow 90° cast iron black 3/4" female thread x male thread 25bar DVGW	pcs	1,05
1109206	Profec Nr. 92 Elbow 90° cast iron black 1" female thread x male thread 25bar DVGW	pcs	1,58
1109207	Profec Nr. 92 Elbow 90° cast iron black 1 1/4" female thread x male thread 25bar DVGW	pcs	2,78
1109208	Profec Nr. 92 Elbow 90° cast iron black 1 1/2" female thread x male thread 25bar DVGW	pcs	3,79
1109209	Profec Nr. 92 Elbow 90° cast iron black 2" female thread x male thread 25bar DVGW	pcs	5,20
1113004	Profec Nr. 130 T-piece 90° cast iron black 1/2" female thread 25bar DVGW	pcs	0,83
1113005	Profec Nr. 130 T-piece 90° cast iron black 3/4" female thread 25bar DVGW	pcs	1,20
1113006	Profec Nr. 130 T-piece 90° cast iron black 1" female thread 25bar DVGW	pcs	1,91
1113007	Profec Nr. 130 T-piece 90° cast iron black 1 1/4" female thread 25bar DVGW	pcs	2,96
1113008	Profec Nr. 130 T-piece 90° cast iron black 1 1/2" female thread 25bar DVGW	pcs	4,12
1113009	Profec Nr. 130 T-piece 90° cast iron black 2" female thread 25bar DVGW	pcs	5,53
1113011	Profec Nr. 130 T-piece 90° cast iron black 3" female thread 25bar DVGW	pcs	16,66
1113012	Profec Nr. 130 T-piece 90° cast iron black 4" female thread 25bar DVGW	pcs	31,29
1113021	Profec Nr. 130 T-piece 90° cast iron black 3/4" x 1/2" x 3/4" female thread 25bar DVGW	pcs	1,52
1113026	Profec Nr. 130 T-piece 90° cast iron black 1" x 1/2" x 1" female thread 25bar DVGW	pcs	2,31
1113027	Profec Nr. 130 T-piece 90° cast iron black 1" x 3/4" x 1" female thread 25bar DVGW	pcs	2,31

1113031	Profec Nr. 130 T-piece 90° cast iron black 1 1/4" x 1/2" x 1 1/4" female thread 25bar DVGW	pcs	3,53
1113032	Profec Nr. 130 T-piece 90° cast iron black 1 1/4" x 3/4" x 1 1/4" female thread 25bar DVGW	pcs	3,53
1113033	Profec Nr. 130 T-piece 90° cast iron black 1 1/4" x 1" x 1 1/4" female thread 25bar DVGW	pcs	3,53
1113036	Profec Nr. 130 T-piece 90° cast iron black 1 1/2" x 1/2" x 1 1/2" female thread 25bar DVGW	pcs	4,49
1113037	Profec Nr. 130 T-piece 90° cast iron black 1 1/2" x 3/4" x 1 1/2" female thread 25bar DVGW	pcs	4,49
1113038	Profec Nr. 130 T-piece 90° cast iron black 1 1/2" x 1" x 1 1/2" female thread 25bar DVGW	pcs	4,49
1113039	Profec Nr. 130 T-piece 90° cast iron black 1 1/2" x 1 1/4" x 1 1/2" female thread 25bar DVGW	pcs	4,49
1113041	Profec Nr. 130 T-piece 90° cast iron black 2" x 1/2" x 2" female thread 25bar DVGW	pcs	6,26
1113042	Profec Nr. 130 T-piece 90° cast iron black 2" x 3/4" x 2" female thread 25bar DVGW	pcs	6,26
1113043	Profec Nr. 130 T-piece 90° cast iron black 2" x 1" x 2" female thread 25bar DVGW	pcs	6,26
1113044	Profec Nr. 130 T-piece 90° cast iron black 2" x 1 1/4" x 2" female thread 25bar DVGW	pcs	6,59
1124009	Nr. 240 Reducing socket cast iron black 3/4" x 1/2" female thread	pcs	0,92
1124011	Nr. 240 Reducing socket cast iron black 1" x 1/2" female thread	pcs	1,18
1124012	Nr. 240 Reducing socket cast iron black 1" x 3/4" female thread	pcs	1,18
1124015	Nr. 240 Reducing socket cast iron black 1 1/4" x 3/4" female thread	pcs	1,91
1124016	Nr. 240 Reducing socket cast iron black 1 1/4" x 1" female thread	pcs	1,91
1124019	Nr. 240 Reducing socket cast iron black 1 1/2" x 1" female thread	pcs	2,38
1124020	Nr. 240 Reducing socket cast iron black 1 1/2" x 1 1/4" female thread	pcs	2,38
1124023	Nr. 240 Reducing socket cast iron black 2" x 1" female thread	pcs	4,00
1124024	Nr. 240 Reducing socket cast iron black 2" x 1 1/4" female thread	pcs	4,12
1124025	Nr. 240 Reducing socket cast iron black 2" x 1 1/2" female thread	pcs	4,28
1124106	Profec Nr. 241 Reducer bush cast iron black 1/2" x 3/8" male thread x female thread 25bar DVGW	pcs	0,58
1124110	Profec Nr. 241 Reducer bush cast iron black 3/4" x 1/2" male thread x female thread 25bar DVGW	pcs	0,61
1124113	Profec Nr. 241 Reducer bush cast iron black 1" x 1/2" male thread x female thread 25bar DVGW	pcs	0,92
1124114	Profec Nr. 241 Reducer bush cast iron black 1" x 3/4" male thread x female thread 25bar DVGW	pcs	0,92
1124116	Profec Nr. 241 Reducer bush cast iron black 1 1/4" x 1/2" male thread x female thread 25bar DVGW	pcs	1,63
1124117	Profec Nr. 241 Reducer bush cast iron black 1 1/4" x 3/4" male thread x female thread 25bar DVGW	pcs	1,91
1124118	Profec Nr. 241 Reducer bush cast iron black 1 1/4" x 1" male thread x female thread 25bar DVGW	pcs	1,63
1124120	Profec Nr. 241 Reducer bush cast iron black 1 1/2" x 1/2" male thread x female thread 25bar DVGW	pcs	1,73
1124121	Profec Nr. 241 Reducer bush cast iron black 1 1/2" x 3/4" male thread x female thread 25bar DVGW	pcs	1,73
1124122	Profec Nr. 241 Reducer bush cast iron black 1 1/2" x 1" male thread x female thread 25bar DVGW	pcs	1,73





1124123	Profec Nr. 241 Reducer bush cast iron black 1 1/2" x 1 1/4" male thread x female thread 25bar DVGW	pcs	1,73
1124124	Profec Nr. 241 Reducer bush cast iron black 2" x 1/2" male thread x female thread 25bar DVGW	pcs	2,42
1124125	Profec Nr. 241 Reducer bush cast iron black 2" x 3/4" male thread x female thread 25bar DVGW	pcs	2,42
1124126	Profec Nr. 241 Reducer bush cast iron black 2" x 1" male thread x female thread 25bar DVGW	pcs	2,42
1124127	Profec Nr. 241 Reducer bush cast iron black 2" x 1 1/4" male thread x female thread 25bar DVGW	pcs	2,42
1124128	Profec Nr. 241 Reducer bush cast iron black 2" x 1 1/2" male thread x female thread 25bar DVGW	pcs	2,42
1124508	Profec Nr. 245 Reducer nipple cast iron black 3/4" x 1/2" male thread 25bar DVGW	pcs	0,92
1124511	Profec Nr. 245 Reducer nipple cast iron black 1" x 1/2" male thread 25bar DVGW	pcs	1,42
1124512	Profec Nr. 245 Reducer nipple cast iron black 1" x 3/4" male thread DVGW	pcs	1,38
1124515	Profec Nr. 245 Reducer nipple cast iron black 1 1/4" x 1" male thread 25bar DVGW	pcs	2,29
1124517	Profec Nr. 245 Reducer nipple cast iron black 1 1/2" x 1" male thread 25bar DVGW	pcs	2,78
1124518	Profec Nr. 245 Reducer nipple cast iron black 1 1/2" x 1 1/4" male thread 25bar DVGW	pcs	2,78
1124521	Profec Nr. 245 Reducer nipple cast iron black 2" x 1 1/2" male thread 25bar DVGW	pcs	5,20
1124606	Nr. 246 Reducing socket cast iron black 3/4" x 1/2" female thread x male thread	pcs	1,83
1127003	Profec Nr. 270 Socket cast iron black 3/8" female thread 25bar DVGW	pcs	0,60
1127004	Profec Nr. 270 Socket cast iron black 1/2" female thread 25bar DVGW	pcs	0,58
1127005	Profec Nr. 270 Socket cast iron black 3/4" female thread 25bar DVGW	pcs	0,70
1127006	Profec Nr. 270 Socket cast iron black 1" female thread 25bar DVGW	pcs	1,18
1127007	Profec Nr. 270 Socket cast iron black 1 1/4" female thread 25bar DVGW	pcs	1,64
1127008	Profec Nr. 270 Socket cast iron black 1 1/2" female thread 25bar DVGW	pcs	2,02
1127009	Profec Nr. 270 Socket cast iron black 2" female thread 25bar DVGW	pcs	3,15
1127010	Profec Nr. 270 Socket cast iron black 2 1/2" female thread 25bar DVGW	pcs	5,93
1127011	Profec Nr. 270 Socket cast iron black 3" female thread 25bar DVGW	pcs	8,71
1127012	Profec Nr. 270 Socket cast iron black 4" female thread 25bar DVGW	pcs	14,85
1128003	Profec Nr. 280 Nipple cast iron black 3/8" male thread 25bar DVGW	pcs	0,58
1128004	Profec Nr. 280 Nipple cast iron black 1/2" male thread 25bar DVGW	pcs	0,58
1128005	Profec Nr. 280 Nipple cast iron black 3/4" male thread 25bar DVGW	pcs	0,73
1128006	Profec Nr. 280 Nipple cast iron black 1" male thread 25bar DVGW	pcs	1,03
1128007	Profec Nr. 280 Nipple cast iron black 1 1/4" male thread 25bar DVGW	pcs	1,52



1128008	Profec Nr. 280 Nipple cast iron black 1 1/2" male thread 25bar DVGW	pcs	2,08
1128009	Profec Nr. 280 Nipple cast iron black 2" male thread 25bar DVGW	pcs	2,89
1128010	Profec Nr. 280 Nipple cast iron black 2 1/2" male thread 25bar DVGW	pcs	6,21
1128011	Profec Nr. 280 Nipple cast iron black 3" male thread 25bar DVGW	pcs	8,71
1128012	Profec Nr. 280 Nipple cast iron black 4" male thread 25bar DVGW	pcs	13,88
1129004	Profec Nr. 290 Plug cast iron black 1/2" male thread 25bar DVGW	pcs	0,51
1129005	Profec Nr. 290 Plug cast iron black 3/4" male thread 25bar DVGW	pcs	0,58
1129006	Profec Nr. 290 Plug cast iron black 1" male thread 25bar DVGW	pcs	0,79
1129007	Profec Nr. 290 Plug cast iron black 1 1/4" male thread 25bar DVGW	pcs	1,12
1129008	Profec Nr. 290 Plug cast iron black 1 1/2" male thread 25bar DVGW	pcs	1,38
1129009	Profec Nr. 290 Plug cast iron black 2" male thread 25bar DVGW	pcs	1,96
1130004	Profec Nr. 300 Cap cast iron black 1/2" female thread 25bar DVGW	pcs	0,58
1130005	Profec Nr. 300 Cap cast iron black 3/4" female thread 25bar DVGW	pcs	0,66
1130006	Profec Nr. 300 Cap cast iron black 1" female thread 25bar DVGW	pcs	0,94
1130007	Profec Nr. 300 Cap cast iron black 1 1/4" female thread 25bar DVGW	pcs	1,38
1130008	Profec Nr. 300 Cap cast iron black 1 1/2" female thread 25bar DVGW	pcs	1,84
1130009	Profec Nr. 300 Cap cast iron black 2" female thread 25bar DVGW	pcs	2,49
1133004	Nr. 330 Union coupler cast iron black 1/2" female thread type flat	pcs	2,15
1133005	Nr. 330 Union coupler cast iron black 3/4" female thread type flat	pcs	2,75
1133006	Nr. 330 Union coupler cast iron black 1" female thread type flat	pcs	3,29
1133007	Nr. 330 Union coupler cast iron black 1 1/4" female thread type flat	pcs	5,20
1133008	Nr. 330 Union coupler cast iron black 1 1/2" female thread type flat	pcs	6,59
1133009	Nr. 330 Union coupler cast iron black 2" female thread type flat	pcs	8,78
7012836	Nr. 330 Union coupler cast iron black 2 1/2" female thread type flat	pcs	15,15
1133104	Nr. 331 Union coupler cast iron black 1/2" female thread x male thread type flat	pcs	2,66
1133105	Nr. 331 Union coupler cast iron black 3/4" female thread x male thread type flat	pcs	3,44
1133106	Nr. 331 Union coupler cast iron black 1" female thread x male thread type flat	pcs	5,20
1133107	Nr. 331 Union coupler cast iron black 1 1/4" female thread x male thread type flat	pcs	6,09
1133108	Nr. 331 Union coupler cast iron black 1 1/2" female thread x male thread type flat	pcs	7,95



1133109	Nr. 331 Union coupler cast iron black 2" female thread x male thread type flat	pcs	10,71
1134004	Profec Nr. 340 Union coupler cast iron black 1/2" female thread 25bar DVGW type conical	pcs	2,94
1134005	Profec Nr. 340 Union coupler cast iron black 3/4" female thread 25bar DVGW type conical	pcs	3,79
1134006	Profec Nr. 340 Union coupler cast iron black 1" female thread 25bar DVGW type conical	pcs	4,38
1134007	Profec Nr. 340 Union coupler cast iron black 1 1/4" female thread 25bar DVGW type conical	pcs	5,93
1134008	Profec Nr. 340 Union coupler cast iron black 1 1/2" female thread 25bar DVGW type conical	pcs	7,93
1134009	Profec Nr. 340 Union coupler cast iron black 2" female thread 25bar DVGW type conical	pcs	11,91
1134103	Profec Nr. 341 Union coupler cast iron black 1/2" female thread x male thread 25bar DVGW type conical	pcs	3,36
1134104	Profec Nr. 341 Union coupler cast iron black 3/4" female thread x male thread 25bar DVGW type conical	pcs	4,38
1134105	Profec Nr. 341 Union coupler cast iron black 1" female thread x male thread 25bar DVGW type conical	pcs	5,15
1134106	Profec Nr. 341 Union coupler cast iron black 1 1/4" female thread x male thread 25bar DVGW type conical	pcs	6,73
1134107	Profec Nr. 341 Union coupler cast iron black 1 1/2" female thread x male thread 25bar DVGW type conical	pcs	9,15
1134108	Profec Nr. 341 Union coupler cast iron black 2" female thread x male thread 25bar DVGW type conical	pcs	14,00
1137208	Profec Pump screw set cast iron black 1 1/2" x 1" female threaded nut x female thread 25bar DVGW	pcs	4,21
7002270	Profec Pump screw set cast iron black 2" x 1 1/4" female threaded nut x female thread DVGW	pcs	4,59