



Cast Iron Galvanised		Unit	Price EUR
1000102	Profec Nr. 1 Bend 90° cast iron galvanised 1/4" female thread x male thread 25bar DVGW	pcs	1,60
1000103	Profec Nr. 1 Bend 90° cast iron galvanised 3/8" female thread x male thread 25bar DVGW	pcs	1,49
1000104	Profec Nr. 1 Bend 90° cast iron galvanised 1/2" female thread x male thread 25bar DVGW	pcs	1,57
1000105	Profec Nr. 1 Bend 90° cast iron galvanised 3/4" female thread x male thread 25bar DVGW	pcs	2,19
1000106	Profec Nr. 1 Bend 90° cast iron galvanised 1" female thread x male thread 25bar DVGW	pcs	3,20
1000107	Profec Nr. 1 Bend 90° cast iron galvanised 1 1/4" female thread x male thread 25bar DVGW	pcs	5,27
1000108	Profec Nr. 1 Bend 90° cast iron galvanised 1 1/2" female thread x male thread 25bar DVGW	pcs	6,87
1000109	Profec Nr. 1 Bend 90° cast iron galvanised 2" female thread x male thread 25bar DVGW	pcs	11,01
1000110	Profec Nr. 1 Bend 90° cast iron galvanised 2 1/2" female thread x male thread 25bar DVGW	pcs	21,65
1000111	Profec Nr. 1 Bend 90° cast iron galvanised 3" female thread x male thread 25bar DVGW	pcs	31,06
1000112	Profec Nr. 1 Bend 90° cast iron galvanised 4" female thread x male thread 25bar DVGW	pcs	64,47
1000121	Profec Nr. 1A Bend 90° cast iron galvanised 1/2" female thread x male thread 25bar DVGW	pcs	1,42
1000122	Profec Nr. 1A Bend 90° cast iron galvanised 3/4" female thread x male thread 25bar DVGW	pcs	1,92
1000123	Profec Nr. 1A Bend 90° cast iron galvanised 1" female thread x male thread 25bar DVGW	pcs	2,94
1000124	Profec Nr. 1A Bend 90° cast iron galvanised 1 1/4" female thread x male thread 25bar DVGW	pcs	4,89
1000125	Profec Nr. 1A Bend 90° cast iron galvanised 1 1/2" female thread x male thread 25bar DVGW	pcs	6,45
1000126	Profec Nr. 1A Bend 90° cast iron galvanised 2" female thread x male thread 25bar DVGW	pcs	10,52
1000202	Profec Nr. 2 Bend 90° cast iron galvanised 1/4" female thread 25bar DVGW	pcs	1,60
1000203	Profec Nr. 2 Bend 90° cast iron galvanised 3/8" female thread 25bar DVGW	pcs	1,60
1000204	Profec Nr. 2 Bend 90° cast iron galvanised 1/2" female thread 25bar DVGW	pcs	1,61
1000205	Profec Nr. 2 Bend 90° cast iron galvanised 3/4" female thread 25bar DVGW	pcs	2,45
1000206	Profec Nr. 2 Bend 90° cast iron galvanised 1" female thread 25bar DVGW	pcs	3,55
1000207	Profec Nr. 2 Bend 90° cast iron galvanised 1 1/4" female thread 25bar DVGW	pcs	5,72
1000208	Profec Nr. 2 Bend 90° cast iron galvanised 1 1/2" female thread 25bar DVGW	pcs	8,14
1000209	Profec Nr. 2 Bend 90° cast iron galvanised 2" female thread 25bar DVGW	pcs	12,47
1000210	Profec Nr. 2 Bend 90° cast iron galvanised 2 1/2" female thread 25bar DVGW	pcs	25,18
1000211	Profec Nr. 2 Bend 90° cast iron galvanised 3" female thread 25bar DVGW	pcs	31,76
1000212	Profec Nr. 2 Bend 90° cast iron galvanised 4" female thread 25bar DVGW	pcs	68,71



1000221	Profec Nr. 2A Bend 90° cast iron galvanised 1/2" female thread 25bar DVGW	pcs	1,42
1000222	Profec Nr. 2A Bend 90° cast iron galvanised 3/4" female thread 25bar DVGW	pcs	2,20
1000223	Profec Nr. 2A Bend 90° cast iron galvanised 1" female thread 25bar DVGW	pcs	3,25
1000224	Profec Nr. 2A Bend 90° cast iron galvanised 1 1/4" female thread 25bar DVGW	pcs	5,06
1000225	Profec Nr. 2A Bend 90° cast iron galvanised 1 1/2" female thread 25bar DVGW	pcs	7,36
1000226	Profec Nr. 2A Bend 90° cast iron galvanised 2" female thread 25bar DVGW	pcs	11,51
1000303	Profec Nr. 3 Bend 90° cast iron galvanised 3/8" male thread 25bar DVGW	pcs	1,60
1000304	Profec Nr. 3 Bend 90° cast iron galvanised 1/2" male thread 25bar DVGW	pcs	1,50
1000305	Profec Nr. 3 Bend 90° cast iron galvanised 3/4" male thread 25bar DVGW	pcs	2,08
1000306	Profec Nr. 3 Bend 90° cast iron galvanised 1" male thread 25bar DVGW	pcs	3,34
1000307	Profec Nr. 3 Bend 90° cast iron galvanised 1 1/4" male thread 25bar DVGW	pcs	6,00
1000308	Profec Nr. 3 Bend 90° cast iron galvanised 1 1/2" male thread 25bar DVGW	pcs	8,24
1000309	Profec Nr. 3 Bend 90° cast iron galvanised 2" male thread 25bar DVGW	pcs	11,51
1004001	Profec Nr. 40 Bend 45° cast iron galvanised 1/4" female thread x male thread 25bar DVGW	pcs	1,42
1004002	Profec Nr. 40 Bend 45° cast iron galvanised 3/8" female thread x male thread 25bar DVGW	pcs	1,49
1004003	Profec Nr. 40 Bend 45° cast iron galvanised 1/2" female thread x male thread 25bar DVGW	pcs	1,42
1004004	Profec Nr. 40 Bend 45° cast iron galvanised 3/4" female thread x male thread 25bar DVGW	pcs	1,87
1004005	Profec Nr. 40 Bend 45° cast iron galvanised 1" female thread x male thread 25bar DVGW	pcs	2,94
1004006	Profec Nr. 40 Bend 45° cast iron galvanised 1 1/4" female thread x male thread 25bar DVGW	pcs	4,75
1004007	Profec Nr. 40 Bend 45° cast iron galvanised 1 1/2" female thread x male thread 25bar DVGW	pcs	6,21
1004008	Profec Nr. 40 Bend 45° cast iron galvanised 2" female thread x male thread 25bar DVGW	pcs	9,72
1004009	Profec Nr. 40 Bend 45° cast iron galvanised 2 1/2" female thread x male thread 25bar DVGW	pcs	20,92
1004010	Profec Nr. 40 Bend 45° cast iron galvanised 3" female thread x male thread 25bar DVGW	pcs	28,94
1004011	Profec Nr. 40 Bend 45° cast iron galvanised 4" female thread x male thread 25bar DVGW	pcs	57,41
1004103	Profec Nr. 41 Bend 45° cast iron galvanised 1/2" female thread 25bar DVGW	pcs	1,61
1004104	Profec Nr. 41 Bend 45° cast iron galvanised 3/4" female thread 25bar DVGW	pcs	2,47
1004105	Profec Nr. 41 Bend 45° cast iron galvanised 1" female thread 25bar DVGW	pcs	3,53
1004106	Profec Nr. 41 Bend 45° cast iron galvanised 1 1/4" female thread 25bar DVGW	pcs	5,76
1004107	Profec Nr. 41 Bend 45° cast iron galvanised 1 1/2" female thread 25bar DVGW	pcs	7,93
1004108	Profec Nr. 41 Bend 45° cast iron galvanised 2" female thread 25bar DVGW	pcs	12,38





1004109	Profec Nr. 41 Bend 45° cast iron galvanised 2 1/2" female thread 25bar DVGW	pcs	23,04
1004110	Profec Nr. 41 Bend 45° cast iron galvanised 3" female thread 25bar DVGW	pcs	34,12
1008502	Nr. 85 Cross over cast iron galvanised 1/2" female thread	pcs	2,75
1009001	Profec Nr. 90 Elbow 90° cast iron galvanised 1/8" female thread 25bar DVGW	pcs	1,20
1009002	Profec Nr. 90 Elbow 90° cast iron galvanised 1/4" female thread 25bar DVGW	pcs	0,96
1009003	Profec Nr. 90 Elbow 90° cast iron galvanised 3/8" female thread 25bar DVGW	pcs	0,90
1009004	Profec Nr. 90 Elbow 90° cast iron galvanised 1/2" female thread 25bar DVGW	pcs	0,79
1009005	Profec Nr. 90 Elbow 90° cast iron galvanised 3/4" female thread 25bar DVGW	pcs	1,05
1009006	Profec Nr. 90 Elbow 90° cast iron galvanised 1" female thread 25bar DVGW	pcs	1,64
1009007	Profec Nr. 90 Elbow 90° cast iron galvanised 1 1/4" female thread 25bar DVGW	pcs	2,45
1009008	Profec Nr. 90 Elbow 90° cast iron galvanised 1 1/2" female thread 25bar DVGW	pcs	3,29
1009009	Profec Nr. 90 Elbow 90° cast iron galvanised 2" female thread 25bar DVGW	pcs	4,96
1009010	Profec Nr. 90 Elbow 90° cast iron galvanised 2 1/2" female thread 25bar DVGW	pcs	10,59
1009011	Profec Nr. 90 Elbow 90° cast iron galvanised 3" female thread 25bar DVGW	pcs	15,88
1009012	Profec Nr. 90 Elbow 90° cast iron galvanised 4" female thread 25bar DVGW	pcs	30,35
1009016	Profec Nr. 90 Elbow 90° cast iron galvanised 1/2" x 1/4" female thread 25bar DVGW	pcs	0,96
1009017	Profec Nr. 90 Elbow 90° cast iron galvanised 1/2" x 3/8" female thread 25bar DVGW	pcs	0,96
1009020	Profec Nr. 90 Elbow 90° cast iron galvanised 3/4" x 1/2" female thread 25bar DVGW	pcs	1,45
1009021	Profec Nr. 90 Elbow 90° cast iron galvanised 1" x 1/2" female thread 25bar DVGW	pcs	1,93
1009022	Profec Nr. 90 Elbow 90° cast iron galvanised 1" x 3/4" female thread 25bar DVGW	pcs	1,84
1009024	Profec Nr. 90 Elbow 90° cast iron galvanised 1 1/4" x 3/4" female thread DVGW	pcs	2,94
1009025	Profec Nr. 90 Elbow 90° cast iron galvanised 1 1/4" x 1" female thread 25bar DVGW	pcs	3,15
1009026	Profec Nr. 90 Elbow 90° cast iron galvanised 1 1/2" x 1" female thread 25bar DVGW	pcs	3,91
1009027	Profec Nr. 90 Elbow 90° cast iron galvanised 1 1/2" x 1 1/4" female thread 25bar DVGW	pcs	3,91
1009028	Profec Nr. 90 Elbow 90° cast iron galvanised 2" x 1" female thread 25bar DVGW	pcs	5,76
1009029	Profec Nr. 90 Elbow 90° cast iron galvanised 2" x 1 1/4" female thread 25bar DVGW	pcs	5,76
1009030	Profec Nr. 90 Elbow 90° cast iron galvanised 2" x 1 1/2" female thread 25bar DVGW	pcs	5,76
1009201	Profec Nr. 92 Elbow 90° cast iron galvanised 1/8" female thread x male thread 25bar DVGW	pcs	1,33
1009202	Profec Nr. 92 Elbow 90° cast iron galvanised 1/4" female thread x male thread 25bar DVGW	pcs	0,96
1009203	Profec Nr. 92 Elbow 90° cast iron galvanised 3/8" female thread x male thread 25bar DVGW	pcs	0,96



1009204	Profec Nr. 92 Elbow 90° cast iron galvanised 1/2" female thread x male thread 25bar DVGW	pcs	0,81
1009205	Profec Nr. 92 Elbow 90° cast iron galvanised 3/4" female thread x male thread 25bar DVGW	pcs	1,20
1009206	Profec Nr. 92 Elbow 90° cast iron galvanised 1" female thread x male thread 25bar DVGW	pcs	1,76
1009207	Profec Nr. 92 Elbow 90° cast iron galvanised 1 1/4" female thread x male thread 25bar DVGW	pcs	3,13
1009208	Profec Nr. 92 Elbow 90° cast iron galvanised 1 1/2" female thread x male thread 25bar DVGW	pcs	4,26
1009209	Profec Nr. 92 Elbow 90° cast iron galvanised 2" female thread x male thread 25bar DVGW	pcs	6,05
1009210	Profec Nr. 92 Elbow 90° cast iron galvanised 2 1/2" female thread x male thread 25bar DVGW	pcs	13,79
1009211	Profec Nr. 92 Elbow 90° cast iron galvanised 3" female thread x male thread 25bar DVGW	pcs	20,45
1009222	Profec Nr. 92 Elbow 90° cast iron galvanised 4" female thread x male thread 25bar DVGW	pcs	35,53
1009213	Profec Nr. 92 Elbow 90° cast iron galvanised 1/2" x 3/8" female thread x male thread 25bar DVGW	pcs	1,53
1009214	Profec Nr. 92 Elbow 90° cast iron galvanised 3/4" x 3/8" female thread x male thread 25bar DVGW	pcs	2,29
1009215	Profec Nr. 92 Elbow 90° cast iron galvanised 3/4" x 1/2" female thread x male thread 25bar DVGW	pcs	2,20
1009216	Profec Nr. 92 Elbow 90° cast iron galvanised 1" x 3/4" female thread x male thread 25bar DVGW	pcs	2,61
1009218	Profec Nr. 92 Elbow 90° cast iron galvanised 1 1/4" x 1" female thread x male thread 25bar DVGW	pcs	4,40
1009602	Profec Nr. 96 Union elbow 90° cast iron galvanised 3/8" female thread 25bar DVGW type conical	pcs	4,40
1009603	Profec Nr. 96 Union elbow 90° cast iron galvanised 1/2" female thread 25bar DVGW type conical	pcs	4,75
1009604	Profec Nr. 96 Union elbow 90° cast iron galvanised 3/4" female thread 25bar DVGW type conical	pcs	5,76
1009605	Profec Nr. 96 Union elbow 90° cast iron galvanised 1" female thread 25bar DVGW type conical	pcs	6,64
1009606	Profec Nr. 96 Union elbow 90° cast iron galvanised 1 1/4" female thread 25bar DVGW type conical	pcs	9,27
1009607	Profec Nr. 96 Union elbow 90° cast iron galvanised 1 1/2" female thread 25bar DVGW type conical	pcs	11,91
1009608	Profec Nr. 96 Union elbow 90° cast iron galvanised 2" female thread 25bar DVGW type conical	pcs	17,72
1009609	Profec Nr. 96 Union elbow 90° cast iron galvanised 2 1/2" female thread 25bar DVGW type conical	pcs	29,65
1009610	Profec Nr. 96 Union elbow 90° cast iron galvanised 3" female thread 25bar DVGW type conical	pcs	52,71
1009703	Profec Nr. 97 Union elbow 90° cast iron galvanised 1/2" female thread x male thread 25bar DVGW type flat	pcs	6,59
1009704	Profec Nr. 97 Union elbow 90° cast iron galvanised 3/4" female thread x male thread 25bar DVGW type flat	pcs	5,25
1009705	Profec Nr. 97 Union elbow 90° cast iron galvanised 1" female thread x male thread 25bar DVGW type flat	pcs	6,35
1009706	Profec Nr. 97 Union elbow 90° cast iron galvanised 1 1/4" female thread x male thread 25bar DVGW type flat	pcs	9,08
1009707	Profec Nr. 97 Union elbow 90° cast iron galvanised 1 1/2" female thread x male thread 25bar DVGW type flat	pcs	11,76
1009708	Profec Nr. 97 Union elbow 90° cast iron galvanised 2" female thread x male thread 25bar DVGW type flat	pcs	16,73
1009802	Profec Nr. 98 Union elbow 90° cast iron galvanised 3/8" female thread x male thread 25bar DVGW type conica	pcs	4,92



1009803	Profec Nr. 98 Union elbow 90° cast iron galvanised 1/2" female thread x male thread 25bar DVGW type conical	pcs	4,92
1009804	Profec Nr. 98 Union elbow 90° cast iron galvanised 3/4" female thread x male thread 25bar DVGW type conical	pcs	6,42
1009805	Profec Nr. 98 Union elbow 90° cast iron galvanised 1" female thread x male thread 25bar DVGW type conical	pcs	8,14
1009806	Profec Nr. 98 Union elbow 90° cast iron galvanised 1 1/4" female thread x male thread 25bar DVGW type conical	pcs	11,20
1009807	Profec Nr. 98 Union elbow 90° cast iron galvanised 1 1/2" female thread x male thread 25bar DVGW type conical	pcs	14,07
1009808	Profec Nr. 98 Union elbow 90° cast iron galvanised 2" female thread x male thread 25bar DVGW type conical	pcs	19,44
1009809	Profec Nr. 98 Union elbow 90° cast iron galvanised 2 1/2" female thread x male thread 25bar DVGW type conical	pcs	33,88
1009810	Profec Nr. 98 Union elbow 90° cast iron galvanised 3" female thread x male thread 25bar DVGW type conical	pcs	57,88
1012003	Profec Nr. 120 Elbow 45° cast iron galvanised 3/8" female thread 25bar DVGW	pcs	0,96
1012004	Profec Nr. 120 Elbow 45° cast iron galvanised 1/2" female thread 25bar DVGW	pcs	0,78
1012005	Profec Nr. 120 Elbow 45° cast iron galvanised 3/4" female thread 25bar DVGW	pcs	1,18
1012006	Profec Nr. 120 Elbow 45° cast iron galvanised 1" female thread 25bar DVGW	pcs	1,75
1012007	Profec Nr. 120 Elbow 45° cast iron galvanised 1 1/4" female thread 25bar DVGW	pcs	2,89
1012008	Profec Nr. 120 Elbow 45° cast iron galvanised 1 1/2" female thread 25bar DVGW	pcs	3,53
1012009	Profec Nr. 120 Elbow 45° cast iron galvanised 2" female thread 25bar DVGW	pcs	5,29
1012011	Profec Nr. 120 Elbow 45° cast iron galvanised 3" female thread 25bar DVGW	pcs	17,44
1012103	Profec Nr. 121 Elbow 45° cast iron galvanised 3/8" female thread x male thread 25bar DVGW	pcs	1,36
1012104	Profec Nr. 121 Elbow 45° cast iron galvanised 1/2" female thread x male thread 25bar DVGW	pcs	1,33
1012105	Profec Nr. 121 Elbow 45° cast iron galvanised 3/4" female thread x male thread 25bar DVGW	pcs	2,05
1012106	Profec Nr. 121 Elbow 45° cast iron galvanised 1" female thread x male thread 25bar DVGW	pcs	2,71
1012107	Profec Nr. 121 Elbow 45° cast iron galvanised 1 1/4" female thread x male thread 25bar DVGW	pcs	4,40
1012108	Profec Nr. 121 Elbow 45° cast iron galvanised 1 1/2" female thread x male thread 25bar DVGW	pcs	5,29
1012109	Profec Nr. 121 Elbow 45° cast iron galvanised 2" female thread x male thread 25bar DVGW	pcs	8,87
1013001	Profec Nr. 130 T-piece 90° cast iron galvanised 1/8" female thread 25bar DVGW	pcs	1,51
1013002	Profec Nr. 130 T-piece 90° cast iron galvanised 1/4" female thread 25bar DVGW	pcs	1,16
1013003	Profec Nr. 130 T-piece 90° cast iron galvanised 3/8" female thread 25bar DVGW	pcs	1,09
1013004	Profec Nr. 130 T-piece 90° cast iron galvanised 1/2" female thread 25bar DVGW	pcs	0,97
1013005	Profec Nr. 130 T-piece 90° cast iron galvanised 3/4" female thread 25bar DVGW	pcs	1,34
1013006	Profec Nr. 130 T-piece 90° cast iron galvanised 1" female thread 25bar DVGW	pcs	2,13
1013007	Profec Nr. 130 T-piece 90° cast iron galvanised 1 1/4" female thread 25bar DVGW	pcs	3,34





1013008	Profec Nr. 130 T-piece 90° cast iron galvanised 1 1/2" female thread 25bar DVGW	pcs	4,61
1013009	Profec Nr. 130 T-piece 90° cast iron galvanised 2" female thread 25bar DVGW	pcs	6,33
1013010	Profec Nr. 130 T-piece 90° cast iron galvanised 2 1/2" female thread 25bar DVGW	pcs	14,82
1013015	Profec Nr. 130 T-piece 90° cast iron galvanised 1/2" x 1/4" x 1/2" female thread 25bar DVGW	pcs	1,60
1013016	Profec Nr. 130 T-piece 90° cast iron galvanised 1/2" x 3/8" x 1/2" female thread 25bar DVGW	pcs	1,49
1013017	Profec Nr. 130 T-piece 90° cast iron galvanised 1/2" x 3/4" x 1/2" female thread 25bar DVGW	pcs	1,88
1013018	Profec Nr. 130 T-piece 90° cast iron galvanised 1/2" x 1" x 1/2" female thread 25bar DVGW	pcs	2,82
1013021	Profec Nr. 130 T-piece 90° cast iron galvanised 3/4" x 1/2" x 3/4" female thread 25bar DVGW	pcs	1,71
1013022	Profec Nr. 130 T-piece 90° cast iron galvanised 3/4" x 1" x 3/4" female thread 25bar DVGW	pcs	2,89
1013024	Profec Nr. 130 T-piece 90° cast iron galvanised 1" x 1/4" x 1" female thread 25bar DVGW	pcs	2,89
1013025	Profec Nr. 130 T-piece 90° cast iron galvanised 1" x 3/8" x 1" female thread 25bar DVGW	pcs	2,82
1013026	Profec Nr. 130 T-piece 90° cast iron galvanised 1" x 1/2" x 1" female thread 25bar DVGW	pcs	2,61
1013027	Profec Nr. 130 T-piece 90° cast iron galvanised 1" x 3/4" x 1" female thread 25bar DVGW	pcs	2,61
1013028	Profec Nr. 130 T-piece 90° cast iron galvanised 1" x 1 1/4" x 1" female thread 25bar DVGW	pcs	4,26
1013031	Profec Nr. 130 T-piece 90° cast iron galvanised 1 1/4" x 1/2" x 1 1/4" female thread 25bar DVGW	pcs	3,93
1013032	Profec Nr. 130 T-piece 90° cast iron galvanised 1 1/4" x 3/4" x 1 1/4" female thread 25bar DVGW	pcs	3,93
1013033	Profec Nr. 130 T-piece 90° cast iron galvanised 1 1/4" x 1" x 1 1/4" female thread 25bar DVGW	pcs	3,93
1013036	Profec Nr. 130 T-piece 90° cast iron galvanised 1 1/2" x 1/2" x 1 1/2" female thread 25bar DVGW	pcs	4,96
1013037	Profec Nr. 130 T-piece 90° cast iron galvanised 1 1/2" x 3/4" x 1 1/2" female thread 25bar DVGW	pcs	4,96
1013038	Profec Nr. 130 T-piece 90° cast iron galvanised 1 1/2" x 1" x 1 1/2" female thread 25bar DVGW	pcs	4,96
1013039	Profec Nr. 130 T-piece 90° cast iron galvanised 1 1/2" x 1 1/4" x 1 1/2" female thread 25bar DVGW	pcs	5,62
1013040	Profec Nr. 130 T-piece 90° cast iron galvanised 1 1/2" x 2" x 1 1/2" female thread 25bar DVGW	pcs	7,53
1013041	Profec Nr. 130 T-piece 90° cast iron galvanised 2" x 1/2" x 2" female thread 25bar DVGW	pcs	7,04
1013042	Profec Nr. 130 T-piece 90° cast iron galvanised 2" x 3/4" x 2" female thread 25bar DVGW	pcs	7,04
1013043	Profec Nr. 130 T-piece 90° cast iron galvanised 2" x 1" x 2" female thread 25bar DVGW	pcs	7,04
1013044	Profec Nr. 130 T-piece 90° cast iron galvanised 2" x 1 1/4" x 2" female thread 25bar DVGW	pcs	7,46
1013045	Profec Nr. 130 T-piece 90° cast iron galvanised 2" x 1 1/2" x 2" female thread 25bar DVGW	pcs	7,46
1013047	Profec Nr. 130 T-piece 90° cast iron galvanised 2 1/2" x 1" x 2 1/2" female thread 25bar DVGW	pcs	15,46
7012805	Profec Nr. 130 T-piece 90° cast iron galvanised 2 1/2" x 1 1/4" x 2 1/2" female thread DVGW	pcs	14,82
1013048	Profec Nr. 130 T-piece 90° cast iron galvanised 2 1/2" x 1 1/2" x 2 1/2" female thread 25bar DVGW	pcs	15,46
1013049	Profec Nr. 130 T-piece 90° cast iron galvanised 2 1/2" x 2" x 2 1/2" female thread 25bar DVGW	pcs	15,88
1013057	Profec Nr. 130 T-piece 90° cast iron galvanised 3/4" x 1/2" x 1/2" female thread 25bar DVGW	pcs	1,84
1013059	Profec Nr. 130 T-piece 90° cast iron galvanised 3/4" x 3/4" x 1/2" female thread 25bar DVGW	pcs	1,96



1013061	Profec Nr. 130 T-piece 90° cast iron galvanised 1" x 1/2" x 1/2" female thread 25bar DVGW	pcs	2,82
1013065	Profec Nr. 130 T-piece 90° cast iron galvanised 1" x 1" x 1/2" female thread 25bar DVGW	pcs	2,89
1013066	Profec Nr. 130 T-piece 90° cast iron galvanised 1" x 1" x 3/4" female thread 25bar DVGW	pcs	2,89
1013069	Profec Nr. 130 T-piece 90° cast iron galvanised 1 1/4" x 3/4" x 1" female thread 25bar DVGW	pcs	4,26
1013071	Profec Nr. 130 T-piece 90° cast iron galvanised 1 1/4" x 1" x 1" female thread 25bar DVGW	pcs	4,40
1013074	Profec Nr. 130 T-piece 90° cast iron galvanised 1 1/4" x 1 1/4" x 1" female thread 25bar DVGW	pcs	4,40
1013050	Profec Nr. 130 Reducer T-piece 90° cast iron galvanised 3" x 1" x 3" female thread 25bar DVGW	pcs	22,12
1013051	Profec Nr. 130 Reducer T-piece 90° cast iron galvanised 3" x 1 1/2" x 3" female thread 25bar DVGW	pcs	22,12
1013052	Profec Nr. 130 Reducer T-piece 90° cast iron galvanised 3" x 2" x 3" female thread 25bar DVGW	pcs	21,67
1013053	Profec Nr. 130 Reducer T-piece 90° cast iron galvanised 3" x 2 1/2" x 3" female thread 25bar DVGW	pcs	22,12
1013011	Profec Nr. 130 Reducer T-piece 90° cast iron galvanised 3" female thread 25bar DVGW	pcs	20,12
1013012	Profec Nr. 130 Reducer T-piece 90° cast iron galvanised 4" female thread 25bar DVGW	pcs	37,18
1013095	Profec Nr. 130 Reducer T-piece 90° cast iron galvanised 4" x 4" x 2" female thread DVGW	pcs	39,06
1013096	Profec Nr. 130 Reducer T-piece 90° cast iron galvanised 4" x 4" x 3" female thread DVGW	pcs	42,12
1018001	Profec Nr. 180 Cross-piece cast iron galvanised 1/4" female thread 25bar DVGW	pcs	2,29
1018002	Profec Nr. 180 Cross-piece cast iron galvanised 3/8" female thread 25bar DVGW	pcs	2,29
1018003	Profec Nr. 180 Cross-piece cast iron galvanised 1/2" female thread 25bar DVGW	pcs	2,87
1018004	Profec Nr. 180 Cross-piece cast iron galvanised 3/4" female thread 25bar DVGW	pcs	3,25
1018005	Profec Nr. 180 Cross-piece cast iron galvanised 1" female thread 25bar DVGW	pcs	5,34
1018006	Profec Nr. 180 Cross-piece cast iron galvanised 1 1/4" female thread 25bar DVGW	pcs	6,05
1018007	Profec Nr. 180 Cross-piece cast iron galvanised 1 1/2" female thread 25bar DVGW	pcs	8,40
1018008	Profec Nr. 180 Cross-piece cast iron galvanised 2" female thread 25bar DVGW	pcs	11,51
1018009	Profec Nr. 180 Cross-piece cast iron galvanised 2 1/2" female thread 25bar DVGW	pcs	22,12
1018010	Profec Nr. 180 Cross-piece cast iron galvanised 3" female thread 25bar DVGW	pcs	31,06
1018011	Profec Nr. 180 Cross-piece cast iron galvanised 4" female thread 25bar DVGW	pcs	58,82
1022102	Profec Nr. 221 Y-bend cast iron galvanised 1/2" female thread 25bar DVGW	pcs	2,23
1022103	Profec Nr. 221 Y-bend cast iron galvanised 3/4" female thread 25bar DVGW	pcs	2,82
1022104	Profec Nr. 221 Y-bend cast iron galvanised 1" female thread 25bar DVGW	pcs	3,98
1022302	Profec Nr. 223 Cross-piece cast iron galvanised 1/2" female thread 25bar DVGW	pcs	2,82
1022303	Profec Nr. 223 Cross-piece cast iron galvanised 3/4" female thread 25bar DVGW	pcs	3,53



1022304	Profec Nr. 223 Cross-piece cast iron galvanised 1" female thread 25bar DVGW	pcs	4,92
1022305	Profec Nr. 223 Cross-piece cast iron galvanised 1 1/4" female thread 25bar DVGW	pcs	7,11
1022904	Profec Nr. 229 Rubber seal NBR 1/2" 25bar black	pcs	0,08
1022905	Profec Nr. 229 Rubber seal NBR 3/4" 25bar black	pcs	0,12
1022906	Profec Nr. 229 Rubber seal NBR 1" 25bar black	pcs	0,14
1022907	Profec Nr. 229 Rubber seal NBR 1 1/4" 25bar black	pcs	0,15
1022908	Profec Nr. 229 Rubber seal NBR 1 1/2" 25bar black	pcs	0,19
1022909	Profec Nr. 229 Rubber seal NBR 2" 25bar black	pcs	0,27
1022910	Profec Nr. 229 Rubber seal NBR 2 1/2" black	pcs	0,35
1022911	Profec Nr. 229 Rubber seal NBR 3" black	pcs	0,69
1024001	Profec Nr. 240 Reducer socket cast iron galvanised 1/4" x 1/8" female thread 25bar DVGW	pcs	0,79
1024002	Profec Nr. 240 Reducer socket cast iron galvanised 3/8" x 1/8" female thread 25bar DVGW	pcs	0,79
1024003	Profec Nr. 240 Reducer socket cast iron galvanised 3/8" x 1/4" female thread 25bar DVGW	pcs	0,74
1024005	Profec Nr. 240 Reducer socket cast iron galvanised 1/2" x 1/4" female thread 25bar DVGW	pcs	0,74
1024006	Profec Nr. 240 Reducer socket cast iron galvanised 1/2" x 3/8" female thread 25bar DVGW	pcs	0,74
1024007	Profec Nr. 240 Reducer socket cast iron galvanised 3/4" x 1/4" female thread 25bar DVGW	pcs	1,15
1024008	Profec Nr. 240 Reducer socket cast iron galvanised 3/4" x 3/8" female thread 25bar DVGW	pcs	1,08
1024009	Profec Nr. 240 Reducer socket cast iron galvanised 3/4" x 1/2" female thread 25bar DVGW	pcs	1,25
1024010	Profec Nr. 240 Reducer socket cast iron galvanised 1" x 3/8" female thread 25bar DVGW	pcs	1,49
1024011	Profec Nr. 240 Reducer socket cast iron galvanised 1" x 1/2" female thread 25bar DVGW	pcs	1,34
1024012	Profec Nr. 240 Reducer socket cast iron galvanised 1" x 3/4" female thread 25bar DVGW	pcs	1,34
1024014	Profec Nr. 240 Reducer socket cast iron galvanised 1 1/4" x 1/2" female thread 25bar DVGW	pcs	2,08
1024015	Profec Nr. 240 Reducer socket cast iron galvanised 1 1/4" x 3/4" female thread 25bar DVGW	pcs	2,05
1024016	Profec Nr. 240 Reducer socket cast iron galvanised 1 1/4" x 1" female thread 25bar DVGW	pcs	2,05
1024017	Profec Nr. 240 Reducer socket cast iron galvanised 1 1/2" x 1/2" female thread 25bar DVGW	pcs	2,47
1024018	Profec Nr. 240 Reducer socket cast iron galvanised 1 1/2" x 3/4" female thread 25bar DVGW	pcs	2,47
1024019	Profec Nr. 240 Reducer socket cast iron galvanised 1 1/2" x 1" female thread 25bar DVGW	pcs	2,73
1024020	Profec Nr. 240 Reducer socket cast iron galvanised 1 1/2" x 1 1/4" female thread 25bar DVGW	pcs	2,73
1024021	Profec Nr. 240 Reducer socket cast iron galvanised 2" x 1/2" female thread 25bar DVGW	pcs	3,79
1024022	Profec Nr. 240 Reducer socket cast iron galvanised 2" x 3/4" female thread 25bar DVGW	pcs	3,79
1024023	Profec Nr. 240 Reducer socket cast iron galvanised 2" x 1" female thread 25bar DVGW	pcs	4,61



1024024	Profec Nr. 240 Reducer socket cast iron galvanised 2" x 1 1/4" female thread 25bar DVGW	pcs	4,96
1024025	Profec Nr. 240 Reducer socket cast iron galvanised 2" x 1 1/2" female thread 25bar DVGW	pcs	4,96
1024026	Profec Nr. 240 Reducer socket cast iron galvanised 2 1/2" x 1 1/4" female thread 25bar DVGW	pcs	7,11
1024027	Profec Nr. 240 Reducer socket cast iron galvanised 2 1/2" x 1 1/2" female thread 25bar DVGW	pcs	7,13
1024028	Profec Nr. 240 Reducer socket cast iron galvanised 2 1/2" x 2" female thread 25bar DVGW	pcs	7,62
1024029	Profec Nr. 240 Reducer socket cast iron galvanised 3" x 1 1/2" female thread 25bar DVGW	pcs	11,51
1024030	Profec Nr. 240 Reducer socket cast iron galvanised 3" x 2" female thread 25bar DVGW	pcs	11,20
1024031	Profec Nr. 240 Reducer socket cast iron galvanised 3" x 2 1/2" female thread 25bar DVGW	pcs	11,20
1024032	Profec Nr. 240 Reducer socket cast iron galvanised 4" x 2" female thread 25bar DVGW	pcs	20,35
1024033	Profec Nr. 240 Reducer socket cast iron galvanised 4" x 2 1/2" female thread 25bar DVGW	pcs	20,35
1024034	Profec Nr. 240 Reducer socket cast iron galvanised 4" x 3" female thread 25bar DVGW	pcs	20,35
1024101	Profec Nr. 241 Reducer bush cast iron galvanised 1/4" x 1/8" male thread x female thread 25bar DVGW	pcs	0,73
1024102	Profec Nr. 241 Reducer bush cast iron galvanised 3/8" x 1/8" male thread x female thread 25bar DVGW	pcs	0,73
1024103	Profec Nr. 241 Reducer bush cast iron galvanised 3/8" x 1/4" male thread x female thread 25bar DVGW	pcs	0,66
1024104	Profec Nr. 241 Reducer bush cast iron galvanised 1/2" x 1/8" male thread x female thread 25bar DVGW	pcs	0,66
1024105	Profec Nr. 241 Reducer bush cast iron galvanised 1/2" x 1/4" male thread x female thread 25bar DVGW	pcs	0,66
1024106	Profec Nr. 241 Reducer bush cast iron galvanised 1/2" x 3/8" male thread x female thread 25bar DVGW	pcs	0,69
1024108	Profec Nr. 241 Reducer bush cast iron galvanised 3/4" x 1/4" male thread x female thread 25bar DVGW	pcs	0,74
1024109	Profec Nr. 241 Reducer bush cast iron galvanised 3/4" x 3/8" male thread x female thread 25bar DVGW	pcs	0,74
1024110	Profec Nr. 241 Reducer bush cast iron galvanised 3/4" x 1/2" male thread x female thread 25bar DVGW	pcs	0,70
1024111	Profec Nr. 241 Reducer bush cast iron galvanised 1" x 1/4" male thread x female thread 25bar DVGW	pcs	1,16
1024112	Profec Nr. 241 Reducer bush cast iron galvanised 1" x 3/8" male thread x female thread 25bar DVGW	pcs	1,19
1024113	Profec Nr. 241 Reducer bush cast iron galvanised 1" x 1/2" male thread x female thread 25bar DVGW	pcs	1,03
1024114	Profec Nr. 241 Reducer bush cast iron galvanised 1" x 3/4" male thread x female thread 25bar DVGW	pcs	1,03
1024115	Profec Nr. 241 Reducer bush cast iron galvanised 1 1/4" x 3/8" male thread x female thread 25bar DVGW	pcs	1,78
1024116	Profec Nr. 241 Reducer bush cast iron galvanised 1 1/4" x 1/2" male thread x female thread 25bar DVGW	pcs	1,64
1024117	Profec Nr. 241 Reducer bush cast iron galvanised 1 1/4" x 3/4" male thread x female thread 25bar DVGW	pcs	1,64
1024118	Profec Nr. 241 Reducer bush cast iron galvanised 1 1/4" x 1" male thread x female thread 25bar DVGW	pcs	1,64
1024119	Profec Nr. 241 Reducer bush cast iron galvanised 1 1/2" x 3/8" male thread x female thread 25bar DVGW	pcs	2,12
1024120	Profec Nr. 241 Reducer bush cast iron galvanised 1 1/2" x 1/2" male thread x female thread 25bar DVGW	pcs	1,93
1024121	Profec Nr. 241 Reducer bush cast iron galvanised 1 1/2" x 3/4" male thread x female thread 25bar DVGW	pcs	1,93
1024122	Profec Nr. 241 Reducer bush cast iron galvanised 1 1/2" x 1" male thread x female thread 25bar DVGW	pcs	2,00



1024123	Profec Nr. 241 Reducer bush cast iron galvanised 1 1/2" x 1 1/4" male thread x female thread 25bar DVGW	pcs	1,93
1024124	Profec Nr. 241 Reducer bush cast iron galvanised 2" x 1/2" male thread x female thread 25bar DVGW	pcs	2,71
1024125	Profec Nr. 241 Reducer bush cast iron galvanised 2" x 3/4" male thread x female thread 25bar DVGW	pcs	2,66
1024126	Profec Nr. 241 Reducer bush cast iron galvanised 2" x 1" male thread x female thread 25bar DVGW	pcs	2,66
1024127	Profec Nr. 241 Reducer bush cast iron galvanised 2" x 1 1/4" male thread x female thread 25bar DVGW	pcs	2,66
1024128	Profec Nr. 241 Reducer bush cast iron galvanised 2" x 1 1/2" male thread x female thread 25bar DVGW	pcs	2,66
1024129	Profec Nr. 241 Reducer bush cast iron galvanised 2 1/2" x 1" male thread x female thread 25bar DVGW	pcs	4,92
1024130	Profec Nr. 241 Reducer bush cast iron galvanised 2 1/2" x 1 1/4" male thread x female thread 25bar DVGW	pcs	4,92
1024131	Profec Nr. 241 Reducer bush cast iron galvanised 2 1/2" x 1 1/2" male thread x female thread 25bar DVGW	pcs	4,92
1024132	Profec Nr. 241 Reducer bush cast iron galvanised 2 1/2" x 2" male thread x female thread 25bar DVGW	pcs	4,96
1024133	Profec Nr. 241 Reducer bush cast iron galvanised 3" x 1" male thread x female thread 25bar DVGW	pcs	7,11
1024134	Profec Nr. 241 Reducer bush cast iron galvanised 3" x 1 1/4" male thread x female thread 25bar DVGW	pcs	7,11
1024135	Profec Nr. 241 Reducer bush cast iron galvanised 3" x 1 1/2" male thread x female thread 25bar DVGW	pcs	7,11
1024136	Profec Nr. 241 Reducer bush cast iron galvanised 3" x 2" male thread x female thread 25bar DVGW	pcs	7,46
1024137	Profec Nr. 241 Reducer bush cast iron galvanised 3" x 2 1/2" male thread x female thread 25bar DVGW	pcs	7,46
1024138	Profec Nr. 241 Reducer bush cast iron galvanised 4" x 2 1/2" male thread x female thread 25bar DVGW	pcs	13,22
1024139	Profec Nr. 241 Reducer bush cast iron galvanised 4" x 3" male thread x female thread 25bar DVGW	pcs	14,82
1024141	Profec Nr. 241 Reducer bush cast iron galvanised 4" x 2" male thread x female thread 25bar DVGW	pcs	14,82
1024501	Profec Nr. 245 Reducer nipple cast iron galvanised 1/4" x 1/8" male thread 25bar DVGW	pcs	0,96
1024502	Profec Nr. 245 Reducer nipple cast iron galvanised 3/8" x 1/8" male thread 25bar DVGW	pcs	0,96
1024503	Profec Nr. 245 Reducer nipple cast iron galvanised 3/8" x 1/4" male thread 25bar DVGW	pcs	0,90
1024504	Profec Nr. 245 Reducer nipple cast iron galvanised 1/2" x 1/4" male thread 25bar DVGW	pcs	0,90
1024505	Profec Nr. 245 Reducer nipple cast iron galvanised 1/2" x 3/8" male thread 25bar DVGW	pcs	0,90
1024506	Profec Nr. 245 Reducer nipple cast iron galvanised 3/4" x 1/4" male thread 25bar DVGW	pcs	1,19
1024507	Profec Nr. 245 Reducer nipple cast iron galvanised 3/4" x 3/8" male thread 25bar DVGW	pcs	1,08
1024508	Profec Nr. 245 Reducer nipple cast iron galvanised 3/4" x 1/2" male thread 25bar DVGW	pcs	1,03
1024511	Profec Nr. 245 Reducer nipple cast iron galvanised 1" x 1/2" male thread 25bar DVGW	pcs	1,54
1024512	Profec Nr. 245 Reducer nipple cast iron galvanised 1" x 3/4" male thread 25bar DVGW	pcs	1,50
1024513	Profec Nr. 245 Reducer nipple cast iron galvanised 1 1/4" x 1/2" male thread 25bar DVGW	pcs	2,61
1024514	Profec Nr. 245 Reducer nipple cast iron galvanised 1 1/4" x 3/4" male thread 25bar DVGW	pcs	2,61
1024515	Profec Nr. 245 Reducer nipple cast iron galvanised 1 1/4" x 1" male thread 25bar DVGW	pcs	2,54
1024516	Profec Nr. 245 Reducer nipple cast iron galvanised 1 1/2" x 3/4" male thread 25bar DVGW	pcs	3,27



1024517	Profec Nr. 245 Reducer nipple cast iron galvanised 1 1/2" x 1" male thread 25bar DVGW	pcs	3,13
1024518	Profec Nr. 245 Reducer nipple cast iron galvanised 1 1/2" x 1 1/4" male thread 25bar DVGW	pcs	3,13
1024519	Profec Nr. 245 Reducer nipple cast iron galvanised 2" x 1" male thread 25bar DVGW	pcs	5,34
1024520	Profec Nr. 245 Reducer nipple cast iron galvanised 2" x 1 1/4" male thread 25bar DVGW	pcs	5,34
1024521	Profec Nr. 245 Reducer nipple cast iron galvanised 2" x 1 1/2" male thread 25bar DVGW	pcs	5,62
1024522	Profec Nr. 245 Reducer nipple cast iron galvanised 2 1/2" x 1 1/2" male thread 25bar DVGW	pcs	8,87
1024523	Profec Nr. 245 Reducer nipple cast iron galvanised 2 1/2" x 2" male thread 25bar DVGW	pcs	8,87
1024524	Profec Nr. 245 Reducer nipple cast iron galvanised 3" x 2" male thread 25bar DVGW	pcs	15,06
1024525	Profec Nr. 245 Reducer nipple cast iron galvanised 3" x 2 1/2" male thread 25bar DVGW	pcs	15,06
1024526	Profec Nr. 245 Reducer nipple cast iron galvanised 4" x 3" male thread 25bar DVGW	pcs	26,59
1024601	Profec Nr. 246 Reducer socket cast iron galvanised 1/4" x 1/8" female thread x male thread 25bar DVGW	pcs	1,60
1024602	Profec Nr. 246 Reducer socket cast iron galvanised 3/8" x 1/4" female thread x male thread 25bar DVGW	pcs	1,60
1024603	Profec Nr. 246 Reducer socket cast iron galvanised 1/2" x 1/4" female thread x male thread 25bar DVGW	pcs	1,49
1024604	Profec Nr. 246 Reducer socket cast iron galvanised 1/2" x 3/8" female thread x male thread 25bar DVGW	pcs	1,49
1024605	Profec Nr. 246 Reducer socket cast iron galvanised 3/4" x 3/8" female thread x male thread 25bar DVGW	pcs	2,05
1024606	Profec Nr. 246 Reducer socket cast iron galvanised 3/4" x 1/2" female thread x male thread 25bar DVGW	pcs	1,88
1024608	Profec Nr. 246 Reducer socket cast iron galvanised 1" x 1/2" female thread x male thread 25bar DVGW	pcs	2,71
1024609	Profec Nr. 246 Reducer socket cast iron galvanised 1" x 3/4" female thread x male thread 25bar DVGW	pcs	2,75
1024611	Profec Nr. 246 Reducer socket cast iron galvanised 1 1/4" x 1/2" female thread x male thread 25bar DVGW	pcs	3,91
1024612	Profec Nr. 246 Reducer socket cast iron galvanised 1 1/4" x 3/4" female thread x male thread 25bar DVGW	pcs	3,91
1024613	Profec Nr. 246 Reducer socket cast iron galvanised 1 1/4" x 1" female thread x male thread 25bar DVGW	pcs	3,65
1024614	Profec Nr. 246 Reducer socket cast iron galvanised 1 1/2" x 3/4" female thread x male thread 25bar DVGW	pcs	4,59
1024615	Profec Nr. 246 Reducer socket cast iron galvanised 1 1/2" x 1" female thread x male thread 25bar DVGW	pcs	4,99
1024616	Profec Nr. 246 Reducer socket cast iron galvanised 1 1/2" x 1 1/4" female thread x male thread 25bar DVGW	pcs	4,99
1024617	Profec Nr. 246 Reducer socket cast iron galvanised 2" x 1" female thread x male thread 25bar DVGW	pcs	6,64
1024618	Profec Nr. 246 Reducer socket cast iron galvanised 2" x 1 1/4" female thread x male thread 25bar DVGW	pcs	6,64
1024619	Profec Nr. 246 Reducer socket cast iron galvanised 2" x 1 1/2" female thread x male thread 25bar DVGW	pcs	6,64
1024622	Profec Nr. 246 Reducer socket cast iron galvanised 2 1/2" x 2" female thread x male thread 25bar DVGW	pcs	9,53
1027001	Profec Nr. 270 Socket cast iron galvanised 1/8" female thread 25bar DVGW	pcs	0,92
1027002	Profec Nr. 270 Socket cast iron galvanised 1/4" female thread 25bar DVGW	pcs	0,70
1027003	Profec Nr. 270 Socket cast iron galvanised 3/8" female thread 25bar DVGW	pcs	0,70



1027004	Profec Nr. 270 Socket cast iron galvanised 1/2" female thread 25bar DVGW	pcs	0,66
1027005	Profec Nr. 270 Socket cast iron galvanised 3/4" female thread 25bar DVGW	pcs	0,80
1027006	Profec Nr. 270 Socket cast iron galvanised 1" female thread 25bar DVGW	pcs	1,32
1027007	Profec Nr. 270 Socket cast iron galvanised 1 1/4" female thread 25bar DVGW	pcs	1,88
1027008	Profec Nr. 270 Socket cast iron galvanised 1 1/2" female thread 25bar DVGW	pcs	2,21
1027009	Profec Nr. 270 Socket cast iron galvanised 2" female thread 25bar DVGW	pcs	3,53
1027010	Profec Nr. 270 Socket cast iron galvanised 2 1/2" female thread 25bar DVGW	pcs	7,04
1027011	Profec Nr. 270 Socket cast iron galvanised 3" female thread 25bar DVGW	pcs	11,29
1027012	Profec Nr. 270 Socket cast iron galvanised 4" female thread 25bar DVGW	pcs	19,13
1028001	Profec Nr. 280 Nipple cast iron galvanised 1/8" male thread 25bar DVGW	pcs	0,90
1028002	Profec Nr. 280 Nipple cast iron galvanised 1/4" male thread 25bar DVGW	pcs	0,66
1028003	Profec Nr. 280 Nipple cast iron galvanised 3/8" male thread 25bar DVGW	pcs	0,66
1028004	Profec Nr. 280 Nipple cast iron galvanised 1/2" male thread 25bar DVGW	pcs	0,66
1028005	Profec Nr. 280 Nipple cast iron galvanised 3/4" male thread 25bar DVGW	pcs	0,81
1028006	Profec Nr. 280 Nipple cast iron galvanised 1" male thread 25bar DVGW	pcs	1,14
1028007	Profec Nr. 280 Nipple cast iron galvanised 1 1/4" male thread 25bar DVGW	pcs	1,71
1028008	Profec Nr. 280 Nipple cast iron galvanised 1 1/2" male thread 25bar DVGW	pcs	2,33
1028009	Profec Nr. 280 Nipple cast iron galvanised 2" male thread 25bar DVGW	pcs	3,22
1028010	Profec Nr. 280 Nipple cast iron galvanised 2 1/2" male thread 25bar DVGW	pcs	6,33
1028011	Profec Nr. 280 Nipple cast iron galvanised 3" male thread 25bar DVGW	pcs	9,04
1028012	Profec Nr. 280 Nipple cast iron galvanised 4" male thread 25bar DVGW	pcs	18,45
1029001	Profec Nr. 290 Plug cast iron galvanised 1/8" male thread 25bar DVGW	pcs	0,73
1029002	Profec Nr. 290 Plug cast iron galvanised 1/4" male thread 25bar DVGW	pcs	0,54
1029003	Profec Nr. 290 Plug cast iron galvanised 3/8" male thread 25bar DVGW	pcs	0,52
1029004	Profec Nr. 290 Plug cast iron galvanised 1/2" male thread 25bar DVGW	pcs	0,58
1029005	Profec Nr. 290 Plug cast iron galvanised 3/4" male thread 25bar DVGW	pcs	0,63
1029006	Profec Nr. 290 Plug cast iron galvanised 1" male thread 25bar DVGW	pcs	0,83
1029007	Profec Nr. 290 Plug cast iron galvanised 1 1/4" male thread 25bar DVGW	pcs	1,25
1029008	Profec Nr. 290 Plug cast iron galvanised 1 1/2" male thread 25bar DVGW	pcs	1,50
1029009	Profec Nr. 290 Plug cast iron galvanised 2" male thread 25bar DVGW	pcs	2,29
1029010	Profec Nr. 290 Plug cast iron galvanised 2 1/2" male thread 25bar DVGW	pcs	5,34



1029011	Profec Nr. 290 Plug cast iron galvanised 3" male thread 25bar DVGW	pcs	6,21
1029012	Profec Nr. 290 Plug cast iron galvanised 4" male thread 25bar DVGW	pcs	11,06
1030001	Profec Nr. 300 Cap cast iron galvanised 1/8" female thread 25bar DVGW	pcs	0,79
1030002	Profec Nr. 300 Cap cast iron galvanised 1/4" female thread 25bar DVGW	pcs	0,66
1030003	Profec Nr. 300 Cap cast iron galvanised 3/8" female thread 25bar DVGW	pcs	0,64
1030004	Profec Nr. 300 Cap cast iron galvanised 1/2" female thread 25bar DVGW	pcs	0,66
1030005	Profec Nr. 300 Cap cast iron galvanised 3/4" female thread 25bar DVGW	pcs	0,75
1030006	Profec Nr. 300 Cap cast iron galvanised 1" female thread 25bar DVGW	pcs	1,01
1030007	Profec Nr. 300 Cap cast iron galvanised 1 1/4" female thread 25bar DVGW	pcs	1,53
1030008	Profec Nr. 300 Cap cast iron galvanised 1 1/2" female thread 25bar DVGW	pcs	2,05
1030009	Profec Nr. 300 Cap cast iron galvanised 2" female thread 25bar DVGW	pcs	2,87
1030010	Profec Nr. 300 Cap cast iron galvanised 2 1/2" female thread 25bar DVGW	pcs	5,76
1030011	Profec Nr. 300 Cap cast iron galvanised 3" female thread 25bar DVGW	pcs	7,93
1030012	Profec Nr. 300 Cap cast iron galvanised 4" female thread 25bar DVGW	pcs	13,22
1030102	Profec Nr. 301 Cap cast iron galvanised 1/4" female thread 25bar DVGW	pcs	0,66
1030103	Profec Nr. 301 Cap cast iron galvanised 3/8" female thread 25bar DVGW	pcs	0,66
1030104	Profec Nr. 301 Cap cast iron galvanised 1/2" female thread 25bar DVGW	pcs	0,65
1030105	Profec Nr. 301 Cap cast iron galvanised 3/4" female thread 25bar DVGW	pcs	0,74
1030106	Profec Nr. 301 Cap cast iron galvanised 1" female thread 25bar DVGW	pcs	1,08
1030107	Profec Nr. 301 Cap cast iron galvanised 1 1/4" female thread 25bar DVGW	pcs	1,53
1030108	Profec Nr. 301 Cap cast iron galvanised 1 1/2" female thread 25bar DVGW	pcs	2,05
1030109	Profec Nr. 301 Cap cast iron galvanised 2" female thread 25bar DVGW	pcs	2,87
1030110	Profec Nr. 301 Cap cast iron galvanised 2 1/2" female thread 25bar DVGW	pcs	6,00
1030111	Profec Nr. 301 Cap cast iron galvanised 3" female thread 25bar DVGW	pcs	8,59
1030112	Profec Nr. 301 Cap cast iron galvanised 4" female thread 25bar DVGW	pcs	13,79
1031202	Profec Nr. 312 Nut cast iron galvanised 3/8" female thread 25bar DVGW	pcs	0,61
1031203	Profec Nr. 312 Nut cast iron galvanised 1/2" female thread 25bar DVGW	pcs	0,64
1031204	Profec Nr. 312 Nut cast iron galvanised 3/4" female thread 25bar DVGW	pcs	0,65
1031205	Profec Nr. 312 Nut cast iron galvanised 1" female thread 25bar DVGW	pcs	0,91
1031206	Profec Nr. 312 Nut cast iron galvanised 1 1/4" female thread DVGW	pcs	1,15



1031207	Profec Nr. 312 Nut cast iron galvanised 1 1/2" female thread 25bar DVGW	pcs	1,24
1031208	Profec Nr. 312 Nut cast iron galvanised 2" female thread 25bar DVGW	pcs	1,87
1033004	Profec Nr. 330 Union coupler cast iron galvanised 1/2" female thread 25bar DVGW type flat	pcs	2,42
1033005	Profec Nr. 330 Union coupler cast iron galvanised 3/4" female thread 25bar DVGW type flat	pcs	3,34
1033006	Profec Nr. 330 Union coupler cast iron galvanised 1" female thread 25bar DVGW type flat	pcs	3,67
1033007	Profec Nr. 330 Union coupler cast iron galvanised 1 1/4" female thread 25bar DVGW type flat	pcs	5,62
1033008	Profec Nr. 330 Union coupler cast iron galvanised 1 1/2" female thread 25bar DVGW type flat	pcs	7,04
1033009	Profec Nr. 330 Union coupler cast iron galvanised 2" female thread 25bar DVGW type flat	pcs	9,76
1033010	Profec Nr. 330 Union coupler cast iron galvanised 2 1/2" female thread 25bar DVGW type flat	pcs	20,12
1033011	Profec Nr. 330 Union coupler cast iron galvanised 3" female thread 25bar DVGW type flat	pcs	29,18
1033012	Profec Nr. 330 Union coupler cast iron galvanised 4" female thread DVGW type flat	pcs	62,82
1033104	Profec Nr. 331 Union coupler cast iron galvanised 1/2" female thread x male thread 25bar DVGW type flat	pcs	2,96
1033105	Profec Nr. 331 Union coupler cast iron galvanised 3/4" female thread x male thread 25bar DVGW type flat	pcs	3,88
1033106	Profec Nr. 331 Union coupler cast iron galvanised 1" female thread x male thread 25bar DVGW type flat	pcs	4,96
1033107	Profec Nr. 331 Union coupler cast iron galvanised 1 1/4" female thread x male thread 25bar DVGW type flat	pcs	7,04
1033108	Profec Nr. 331 Union coupler cast iron galvanised 1 1/2" female thread x male thread 25bar DVGW type flat	pcs	8,82
1033109	Profec Nr. 331 Union coupler cast iron galvanised 2" female thread x male thread 25bar DVGW type flat	pcs	11,67
1033110	Profec Nr. 331 Union coupler cast iron galvanised 2 1/2" female thread x male thread 25bar DVGW type flat	pcs	22,49
1033111	Profec Nr. 331 Union coupler cast iron galvanised 3" female thread x male thread 25bar DVGW type flat	pcs	35,76
1034002	Profec Nr. 340 Union coupler cast iron galvanised 1/4" female thread 25bar DVGW type conical	pcs	3,53
1034003	Profec Nr. 340 Union coupler cast iron galvanised 3/8" female thread 25bar DVGW type conical	pcs	3,29
1034004	Profec Nr. 340 Union coupler cast iron galvanised 1/2" female thread 25bar DVGW type conical	pcs	3,27
1034005	Profec Nr. 340 Union coupler cast iron galvanised 3/4" female thread 25bar DVGW type conical	pcs	4,26
1034006	Profec Nr. 340 Union coupler cast iron galvanised 1" female thread 25bar DVGW type conical	pcs	4,92
1034007	Profec Nr. 340 Union coupler cast iron galvanised 1 1/4" female thread 25bar DVGW type conical	pcs	6,64
1034008	Profec Nr. 340 Union coupler cast iron galvanised 1 1/2" female thread 25bar DVGW type conical	pcs	8,87
1034009	Profec Nr. 340 Union coupler cast iron galvanised 2" female thread 25bar DVGW type conical	pcs	13,22
1034010	Profec Nr. 340 Union coupler cast iron galvanised 2 1/2" female thread 25bar DVGW type conical	pcs	22,12
1034011	Profec Nr. 340 Union coupler cast iron galvanised 3" female thread 25bar DVGW type conical	pcs	37,65
1034012	Profec Nr. 340 Union coupler cast iron galvanised 4" female thread 25bar DVGW type conical	pcs	70,82



1034101	Profec Nr. 341 Union coupler cast iron galvanised 1/4" female thread x male thread 25bar DVGW type conical	pcs	3,93
1034102	Profec Nr. 341 Union coupler cast iron galvanised 3/8" female thread x male thread 25bar DVGW type conical	pcs	3,93
1034103	Profec Nr. 341 Union coupler cast iron galvanised 1/2" female thread x male thread 25bar DVGW type conical	pcs	3,79
1034104	Profec Nr. 341 Union coupler cast iron galvanised 3/4" female thread x male thread 25bar DVGW type conical	pcs	4,92
1034105	Profec Nr. 341 Union coupler cast iron galvanised 1" female thread x male thread 25bar DVGW type conical	pcs	5,76
1034106	Profec Nr. 341 Union coupler cast iron galvanised 1 1/4" female thread x male thread 25bar DVGW type conical	pcs	7,53
1034107	Profec Nr. 341 Union coupler cast iron galvanised 1 1/2" female thread x male thread 25bar DVGW type conical	pcs	10,19
1034108	Profec Nr. 341 Union coupler cast iron galvanised 2" female thread x male thread 25bar DVGW type conical	pcs	15,06
1034109	Profec Nr. 341 Union coupler cast iron galvanised 2 1/2" female thread x male thread 25bar DVGW type conical	pcs	26,12
1034110	Profec Nr. 341 Union coupler cast iron galvanised 3" female thread x male thread 25bar DVGW type conical	pcs	44,24
1034111	Profec Nr. 341 Union coupler cast iron galvanised 4" female thread x male thread 25bar DVGW type conical	pcs	87,29
1047101	Profec Nr. 471 Deck elbow 90° cast iron galvanised 1/2" female thread 25bar DVGW	pcs	2,20
1047102	Profec Nr. 471 Deck elbow 90° cast iron galvanised 3/4" female thread 25bar DVGW	pcs	6,49
1047103	Profec Nr. 471 Deck elbow 90° cast iron galvanised 1" female thread 25bar DVGW	pcs	7,74
1052952	Profec Nr. 529A Socket cast iron galvanised 1/2" female thread x male thread 25bar DVGW	pcs	1,50
1052953	Profec Nr. 529A Socket cast iron galvanised 3/4" female thread x male thread 25bar DVGW	pcs	1,61
1052954	Profec Nr. 529A Socket cast iron galvanised 1" female thread x male thread 25bar DVGW	pcs	2,22
1052955	Profec Nr. 529A Socket cast iron galvanised 1 1/4" female thread x male thread 25bar DVGW	pcs	3,08
1052956	Profec Nr. 529A Socket cast iron galvanised 1 1/2" female thread x male thread 25bar DVGW	pcs	3,79
1052957	Profec Nr. 529A Socket cast iron galvanised 2" female thread x male thread 25bar DVGW	pcs	5,29